

The smallest airways are a special challenge. The GlideScope® Cobalt Video Laryngoscope offers two solutions for preterm and neonatal patients. These single-use products are optimized for demanding NICU, OR, and ED settings.

The GlideScope® Cobalt 1-2 provides a clear view, enabling quick intubation in unpredictable conditions.

The combination of a single-use, sterile Cobalt GVL® Stat and GlideScope® Video Baton is ideal for your small patients.




FEATURES

- ▶ Reusable video baton with high-resolution camera
- ▶ Anti-fogging mechanism to resist lens contamination
- ▶ Non-glare color monitor with NTSC video output to facilitate recording
- ▶ Unique blade angulation
- ▶ Cobalt system based on the GlideScope® GVL® design, which achieved a Cormack-Lehane Grade I or Grade II view 99% of the time¹
- ▶ GVL® Stats available in 2 sizes (1 and 2), supplied in sterile packaging, ready for use
- ▶ Easy to use, easy to teach



Designed especially
for small airways.









Applications

- First-use intubations, replacing direct laryngoscopy
- Normal or restricted oropharyngeal views
- Cormack-Lehane grades I-IV laryngeal views
- Trauma airways — excellent when dealing with blood and secretions in the airway
- Nasal tracheal intubation
- Video-guided tube exchange in the NICU

System Components

- Non-glare color Monitor
- Reusable, clean (non-sterile) Video Baton
- GVL® Stat — single-use, choice of 2 sizes (box of 10)
- Protective Video Baton cradle
- Choice of mobile stand, IV pole mount or hard shell case
- User's Manual and Quick Reference Cards
- 1-year warranty

GlideScope® Products and Systems - Designed for 1st Pass Success

		SINGLE USE STATS	
GVL® Size		GVL® 1	GVL® 2
Patient Weight		< 3.6 kg	1.8 - 10 kg
Cobalt	Video Baton 1-2		
Cobalt System with GVL® 1 Stat	Cobalt Video Baton 1-2	GVL® 1 Stat	GVL® 2 Stat
	 Length camera tip to handle: 40 mm Height of camera: 6 mm Width of camera: 7 mm Cable length: 175.4 cm Weight: 130 g	 STAT length (tip to handle): 38 mm Thickness (height) at camera: 8.7 mm Width at camera: 9.9 mm	 STAT length (tip to handle): 51 mm Thickness (height) at camera: 8.7 mm Width at camera: 10.9 mm

Note: System configurations vary. The Cobalt Video Baton is reusable.

 <p>On IV Pole Mount Easily integrates into all standard hospital environments</p> <p>Monitor weight: 1.4 kg IV pole mount weight: .9 kg</p>	 <p>On Mobile Stand A stand-alone configuration for use in a variety of hospital settings</p> <p>Power source: Battery and/or AC power</p> <p>Monitor weight: 1.4 kg Mobile stand weight: 3.2 kg</p>	 <p>In Hard Shell Case Portable monitor can operate from within or independent of the hard shell case</p> <p>Ideal for mobile and/or remote emergency applications</p> <p>Total weight: approx. 4.2 kg</p>
--	--	--

GlideScope®, GVL®, Verathon® and Verathon Medical® are registered trademarks of Verathon Inc. in the USA and/or other countries. © 2008 Verathon Inc.

GlideScope® video laryngoscope systems are CE marked in accordance with the Medical Device Directive, and the Verathon Inc. quality system is Quality System Certified to ISO 13485:2003 standards. US Patent No. 6,655,377; 6,543,447; International patents pending. 0900-2130-00-86



Corporate Headquarters

2000 North Creek Parkway / Bothell, WA 98011
425.867.1348 / 800.331.2313 / 425.883.2896 Fax
www.verathon.com